

SPECIFICATION

RANGE: **CLOVER**

Design: **King & Miranda**

“Snowsound Technology” sound-absorbing element, fixed to the wall or suspended from the ceiling with cables.

Wall panel description:

Sound-absorbing element consisting of three thermally moulded panels with concave shapes and variable thickness. The panels consist of an internal padding of variable density polyester fibre, decreasing towards the core of the panel, covered on both sides with Trevira CS® polyester fabric firmly applied to the padding.

The three panels are joined together by means of three painted zamak supports, each consisting of modular elements, equipped at the rear with a threaded insert for hooking the magnetic attachments by means of special screws. The magnets allow attachment to the wall by means of a pair of steel plates fitted with retaining rings. Each ring nut is equipped with a protruding stop that allows the safety cable, made of steel, to be locked in the case of ceiling mounting.

Suspended ceiling panel description:

Sound-absorbing element consisting of three thermally moulded panels with concave shapes and variable thickness. The panels consist of an internal padding of variable density polyester fibre, decreasing towards the core of the panel, covered on both sides with Trevira CS® polyester fabric firmly applied to the padding.

The three panels are joined together by means of three painted zamak supports, each consisting of modular elements, equipped at the rear with a threaded insert for hooking the ceiling fixings. Ceiling fixings, each consisting of a galvanised steel cable, leaded at one end, each cable is hooked in the upper part to two turned and galvanised metal elements that allow the cable to be held by its leaded end and fixed to the ceiling by means of a single screw. In the lower part, each cable is held by a height adjustment and cable locking element, made of turned and galvanised metal screwed to the panel supports.



The panel has **Euroclass B-s2, d0** fire reaction.

The panel is **Greenguard Gold** certified, which validates its low VOC emission and its contribution to the quality of the indoor environment.

The panel is **100% recyclable** and has no detectable formaldehyde content according to UNI EN 717-2. It does not contain felts or other organic materials that are hardly recyclable.

The panel has been tested in reverberation chamber according to UNI EN ISO 354 and obtained “**Acoustic Absorption Class A**”, in accordance with UNI EN ISO 11654.

The products described in this data sheet are **CE marked** according to the harmonized product standard EN 13964 for the intended use as a drop ceiling.




Available colors:

0012



White



Deze informatie is afkomstig van de website van Zero-Z design / Akoestiekexpert.nl.

Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

Zero-Z design

Modem 20b

7741 MJ Coevorden

T +31 (0)30 2201297

E info@zero-z-design.nl

W www.zero-z-design.nl

www.akoestiekexpert.nl

