

SPECIFICATION

Range: **SNOWALL MAXI**
Design: **Caimi Lab**

Panel description:

Semi rigid sound-absorbing panel. The panel is composed of polyester fibres covered on the front with a Snowsound Fiber 3 Melange polyester fabric. Panels can be positioned alongside each other to maintain the continuity of the design


Snowall Maxi has **Euroclass B-s2, d0** fire reaction.

Snowall Maxi is **Greenguard Gold certified**, which certifies its low VOC emission and its contribution to the quality of the indoor environment.


Snowall Maxi is **100% recyclable** and it does not contain felts or other organic materials that are hardly recyclable.

Panel dimensions: H 288 x L 120 cm = 3,45 m²

SNOWALL MAXI FRISÉ




SNOWALL MAXI LINE



Profiles description (optional):

Intermediate and end profiles made of aluminium, consisting of a cover profile and a counter-profile that is fixed to the wall with screws. The cover profile slots into the counter-profile. The end profile can be fitted on any side of the panel.



Fiber 3 - Available colors:



Deze informatie is afkomstig van de website van Zero-Z design / Akoestiekexpert.nl.

Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

Zero-Z design

Modem 20b

7741 MJ Coevorden

T +31 (0)30 2201297

E info@zero-z-design.nl

W www.zero-z-design.nl

www.akoestiekexpert.nl

