

SPECIFICATION

Range: **OVERSIZE**
Design: **Caimi Lab**

“Snowsound Technology” sound-absorbing element fixed to the wall.

Panel description:

Both faces with convex section 36 mm thick, consisting of an internal padding in variable density polyester fiber. The density decreases moving towards the heart of the panel, which is covered on both sides with Trevira CS® polyester fabric, solidly applied to the padding. The panel is double sided, with same characteristics on both sides. It is characterized by the rigid edge obtained by the manufacturing process itself, without any supporting and/or stiffening frame.

The panel has **Euroclass B-s2, d0** fire reaction.

The panel is **Greenguard Gold** certified, which validates its low VOC emission and its contribution to the quality of the indoor environment.

The panel is **100% recyclable** and has no detectable formaldehyde content according to UNI EN 717-2. It does not contain felts or other organic materials that are hardly recyclable.

The panel has been tested in reverberation chamber according to UNI EN ISO 354 and obtained **“Acoustic Absorption Class A”**, in accordance with UNI EN ISO 11654.


| | | | |
|--------------------|-----------|-----------|------------|
| Panels dimensions: | 75x44 cm | 59x59 cm | 119x119 cm |
| | 119x44 cm | 75x59 cm | 119x159 cm |
| | 139x44 cm | 119x59 cm | |
| | 159x44 cm | 139x59 cm | |
| | 179x44 cm | 159x59 cm | |
| | | 179x59 cm | |

All formats can be used both vertically and horizontally

Support description:


Wall support equipped with anti-release system, made of two zama elements: one plate that fixes directly to the panel with self-tapping screws and a support that fixes to the wall. These two parts are grafted into each other, firmly uniting, thanks to a threaded pin. Therefore the panel becomes immovable and only a thin profile on the upper edge remains visible, since the attachment remains hidden in the back.

1 pcs for panel with dimensions:



- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 59
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179

2 pcs for panel with dimensions:



- 44 x 75
- 44 x 119
- 44 x 139
- 44 x 159
- 44 x 179
- 59 x 75
- 59 x 119
- 59 x 139
- 59 x 159
- 59 x 179
- 119 x 119
- 119 x 159

Front



Back



Nickel satined support detail

Front




Back



Mat white support detail

Available colors:



* ATTENTION: dimensions 139x59 cm and 179x59 cm available only for colors White (0001) - Light Blue (6046) - Silver Grey (8004) - Dark Grey (8007)

SPECIFICATION

Range: **SNOWFIX**
Design: **Caimi Lab**

“Snowsound Technology” sound-absorbing element, suspended from the ceiling with cables.

Panel description:

Both faces with convex section 36 mm thick, consisting of an internal padding in variable density polyester fiber. The density decreases moving towards the heart of the panel, which is covered on both sides with Trevira CS® polyester fabric, solidly applied to the padding. The panel is double sided, with same characteristics on both sides. It is characterized by the rigid edge obtained by the manufacturing process itself, without any supporting and/or stiffening frame.

The panel has **Euroclass B-s2, d0** fire reaction.

The panel is **Greenguard Gold** certified, which validates its low VOC emission and its contribution to the quality of the indoor environment.

The panel is **100% recyclable** and has no detectable formaldehyde content according to UNI EN 717-2. It does not contain felts or other organic materials that are hardly recyclable.

The panel has been tested in reverberation chamber according to UNI EN ISO 354 and obtained “**Acoustic Absorption Class A**”, in accordance with UNI EN ISO 11654.


| | | | |
|--------------------|-----------|-----------|------------|
| Panels dimensions: | 75x44 cm | 59x59 cm | 119x119 cm |
| | 119x44 cm | 75x59 cm | 119x159 cm |
| | 139x44 cm | 119x59 cm | |
| | 159x44 cm | 139x59 cm | |
| | 179x44 cm | 159x59 cm | |
| | | 179x59 cm | |

All formats can be used both vertically and horizontally

Support description:


Painted zamak bracket to be fixed directly to the panel using 4x30 self-tapping screws. The bracket has a notched slot for screw/nail attachment.

1 pezzo per dimensioni pannello:



44 x 75
44 x 119
44 x 139
44 x 159
44 x 179
59 x 59
59 x 75
59 x 119
59 x 139
59 x 159
59 x 179

2 pezzi per dimensioni pannello:



44 x 75
44 x 119
44 x 139
44 x 159
44 x 179
59 x 75
59 x 119
59 x 139
59 x 159
59 x 179
119 x 119
119 x 159




Fronte



Retro



Available colors:



* ATTENTION: dimensions 139x59 cm and 179x59 cm available only for colors White (0001) - Light Blue (6046) - Silver Grey (8004) - Dark Grey (8007)

Deze informatie is afkomstig van de website van Zero-Z design / Akoestiekexpert.nl.

Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

Zero-Z design

| | |
|------------------|-------------------|
| Jasmijnstraat 6a | Modem 20b |
| 3732 EC De Bilt | 7741 MJ Coevorden |

T +31 (0)30 2201297

F +31 (0)30 2210692

E info@zero-z-design.nl

W www.zero-z-design.nl

www.akoestiekexpert.nl

